

Extrusion Pump, Nozzle, and Caulking Gun

Datasheet Code US: 5-14-1030

Product Description

HS-100 Extrusion Pump is a modified piston extrusion pump designed to pump Kaowool® or Superwool® Pumpable and Sealcoat products in a fast efficient manner. The air - operated HS-100 Extrusion Pump is mounted on a platform with wheels for easy movement. Five gallon pails of the Kaowool or Superwool materials are positioned in the pump and the extrusion action delivers the product through the supply hose to the application area.

The Sealcoat® Nozzle assembly is designed to work in conjunction with the HS-100 Extrusion Pump to effectively apply the Sealcoat products. The special nozzle atomizes the Sealcoat material, providing an efficient wet gunning process for delivering the material onto a variety of insulation, refractory, or metal surfaces.

The AO-25 Caulking Gun is an air-operated bulk loaded caulking gun for use with Kaowool or Superwool Pumpable, Moldable and Sealcoat products. It is capable of delivering products at a rate of 1/2 to 1 1/2 gallons per minute depending on air pressure and nozzle size. The gun operates on air pressure of 30 - 90 psi (0.21 - 0.62 MPa) The CW-1 Caulking Wand attaches to the end of the HS-100 Pump delivery hose for large volume repairs. This is an ideal set-up to apply pumpable and Sealcoat to fill gaps in refractory linings and eliminate Hot Spots. Openings in fiber module linings due to shrinkage are readily and effectively filled.

Features

- HS-100 Extrusion Pump/Sealcoat Nozzle
- Easy to operate
- Quick set-up/clean-up
- Operates on compressed air systems (100 psi, 300 cfm ideal)
- AO-25 Caulking Gun
- Easy to operate
- Manually loaded from 5 gallon pails



The values given herein are typical average values obtained in accordance with accepted test methods and are subject to normal manufacturing variations. They are supplied as a technical service and are subject to change without notice. Therefore, the data contained herein should not be used for specification purposes. Check with your Morgan Advanced Materials office to obtain current information. This product may be covered by one or more patents or foreign equivalents: A list of patent numbers is available upon request to Morgan Advance Materials plc.