

#### SAFETY DATA SHEET

Following Regulation 1910.1200

SDS Number: 101 Date of first issue: 01 May 1987 Date of last revision: 21 February 2022

#### 1 - Identification of product

#### a - Product identifier used on the label

Tradenames: 1260 Black Paper, 1260 Inorganic Shapes, 1260 LB, FireMaster Endowrap, Kaocrete 93, Kaocrete SR, Kaolite 3300, Kao-Tab 93, Kao-Tab 95, Kao-Tab 95 Gun, Kao-Tab 95EF, Kao-Tab HDHS-98, Kao-Tab SR

#### b - Other means of identification

REFRACTORY CASTABLES, SPECIALTIES

## c - Recommended use of the chemical and restrictions on use

High Temperature Thermal Insulation

#### d - Name, address, and telephone number

#### Morgan Advanced Materials

P. O. Box 923; Dept. 300 Augusta, GA 30903-0923 Telephone: 706-796-4200

#### e - Emergency Phone Number

For Product Stewardship and Emergency Information:

Hotline - 1-800-722-5681 Fax - 706-560-4054

For additional SDSs and to confirm this is the most current SDS for the product, visit our web page www.morganthermalceramics.com or send a request to MT.NorthAmerica@morganplc.com

# 2 - Hazard Identification

#### a - Classification of the chemical in accordance with paragraph (d) of §1910.1200

Not classified. Read the entire safety data sheet.

b - Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

None.

# **Emergency Overview**

# $\textbf{c-Describe} \ \textbf{any} \ \textbf{hazards} \ \textbf{not} \ \textbf{otherwise} \ \textbf{classified} \ \textbf{that} \ \textbf{have} \ \textbf{been} \ \textbf{identified} \ \textbf{during} \ \textbf{the} \ \textbf{classification} \ \textbf{process}$

None of the components of this product are listed as known or suspected carcinogen by NTP, IARC or OSHA. No chronic exposure effects are known. (See Section 11 for more information).

# d - Mixture Rule

Not applicable

# 3 - Composition / Information On Ingredients

## a - Composition table

COMPONENTS	CAS NUMBER	% BY WEIGHT
Aluminum Oxide	1344-28-1	75 - 99
Calcium Aluminate	10042-68-1	Up to 25
Iron Oxide	109-37-1	Úp to 7
NOTE:	· · · · · · · · · · · · · · · · · · ·	·
Iron Oxide is only in the product Kao-Tab® SR.		

# b - Common Name

(See Section 8 "Exposure Controls / Personal Protection" for exposure guidelines)

# d - Impurities and Stabilizing Additives

None.

#### 4 - First-Aid measures

a - Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion

#### Eves

Flush with large amounts of water for at least 15 minutes. Do not rub eyes.

#### Skir

Wash affected area gently with soap and water. Skin cream or lotion after washing may be helpful.

#### Respiratory Tract

Remove affected person to dust free location. See Section 8 for additional measures to reduce or eliminate exposure.

#### Gastrointestinal

Unlikely route of exposure.

c - Indication of immediate medical attention and special treatment needed, if necessary

Not Applicable

#### 5 - Fire-fighting measures

#### a - Suitable (and unsuitable) extinguishing media and

Use extinguishing media suitable for type of surrounding fire

## c - Special Protective Equipment and Precautions for Firefighters

NFPA Codes: Flammability: 0 Health: 1 Reactivity: 0 Special: 0

b - Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

None

#### 6 - Accidental Release Measures

#### a - Personal precautions, protective equipment, and emergency procedures

Avoid creating airborne dust. Follow routine housekeeping procedures. Vacuum only with HEPA filtered equipment. If sweeping is necessary, use a dust suppressant and place material in closed containers. Do not use compressed air for clean-up. Personnel should wear gloves, goggles and approved respirator.

#### b - Methods and materials for containment and cleaning up

Pick up large pieces and use a vacuum cleaner. If brushes are used, ensure that the area is wetted down first. Do not use compressed air for clean up. Do not allow to become windblown.

#### 7 - Handling and storage

#### a - Precautions for safe handling

Limit the use of power tools unless in conjunction with local exhaust. Use hand tools whenever possible. Frequently clean the work area with HEPA filtered vacuum or wet sweeping to minimize the accumulation of debris. Do not use compressed air for clean-up.

# b - Conditions for safe storage, including any incompatibilities

Store in a manner to minimize airborne dust.

## c - empty containers

Product packaging may contain residue. Do not reuse.

# 8 - Risk Management Measures / Exposures Controls / Personal Protection

a - OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available

# **b** - Appropriate Engineering Controls

Use engineering controls, such as ventilation and dust collection devices, to reduce airborne particulate concentrations to the lowest attainable level.

c - Individual protection measures, such as personal protective equipment

## PPE - Skin

Wear full body clothing, gloves, hat, and eye protection as necessary to prevent skin irritation. Washable or disposable clothing may be used. If possible, do not take unwashed work clothing home. If soiled work clothing must be taken home, employers should ensure employees are trained on the best practices to minimize or avoid non-work dust exposure (e.g., vacuum clothes before leaving the work area, wash work clothing separately, rinse washer before washing other household clothes, etc.).

## PPE - Eye

As necessary, wear goggles or safety glasses with side shields.

## PPE - Respiratory

When it is not possible or feasible to reduce airborne crystalline silica or particulate levels below the appropriate PEL/OEL through engineering controls, or until they are installed, employees are encouraged to use good work practices together with respiratory protection. Before providing respirators to employees (especially negative pressure type), employers should 1) monitor for airborne crystalline silica and/or dust concentrations using appropriate NIOSH analytical methods and select respiratory protection based upon the results of that monitoring, 2) have the workers evaluated by a physician to determine the workers' ability to wear respirators, and 3) implement respiratory protection training programs. Use NIOSH-certified particulate respirators (42 CFR 84), in compliance with OSHA Respiratory Protection Standard 29 CFR 1910.134 and 29 CFR 1926.103, for the particular hazard or airborne concentrations to be encountered in the work environment. For the most current information on respirator selection, contact your supplier.

#### 9 - Physical and chemical properties

a - Appearance b -Odor

c - Odor Threshold

d - Melting Point

e-pH

f- Initial Boiling Point/Range

g- Flashpoint h - Evaporation Rate i - Flammability

j - Upper/Lower Flammability or Explosive Limits

k - VAPOR PRESSURE I - VAPOR DENSITY m - Solubility

n - Relative Density

o - Partition Coefficient: n-Octanol/water p - Auto-ignition temperature q - Decomposition Temperature

r - Viscosity

10 - Stability and Reactivity

a - Reactivity

None.

b - Chemical Stability

Stable under conditions of normal use.

c - Possibility of Hazardous Reaction

d - Conditions to Avoid

e - Incompatible Materials

Not known

f - Hazardous decomposition products

None

## 11 - Toxicological information

- a TOXICOKINETICS, METABOLISM AND DISTRIBUTION
- b Acute Toxicity
- c Epidemiology

None

d - Toxicology

Aluminum metal dust has been shown to present a minimal health hazard, according to results from the McIntyre Foundation's 27-year study of aluminum oxide dust (Patty's Industrial Hygiene and Toxicology, 3rd rev. ed.)

No deleterious lung or systemic effects were observed as a result of exposure to aluminum metal dust having a particle size of 1.2 um at calculated concentrations equivalent to 2 mg/m over an 8-hour work shift. Even much higher concentrations (not further specified) over 10 or 20 minute periods produced no adverse effects (ACGIH). NIOSH did not conduct an in-depth review of the health evidence for this substance.

Animals exposed to iron oxide or to iron oxide mixed with less than 5 percent silica by inhalation or by intratracheal injection did not develop pulmonary fibrosis (ACGIH). Inhalation of iron oxide dust also did not produce lung cancer

The evidence of iron oxide's toxidity in humans is conflicting. There are several studies, reported chest X-ray abnormalities in miners, welders, silver polishers, electrolytic iron oxide workers, foundry workers, and boiler scalers exposed to iron oxide dust or fume. Some of these workers developed disabling pneumoconiosis; however, the exposures of many of these workers were mixed and in some cases included exposure to varying amounts of silica.

Presence of iron oxide dust or fume in the lung causes a pigmentation (termed siderosis) that is responsible for the changes seen in exposed individuals' chest X-rays. Siderosis is believed not to progress to fibrosis.

Some studies have shown that workers with exposures to iron oxide and such other substances as silica, radon gas, diesel exhaust, corn oils, and the thermal decomposition products of synthetic resins have a greater risk of developing lung cancer. However, OSHA agrees with the ACGIH that, at this time, it is not generally accepted that exposure to iron oxide dust or fume causes cancer in man (ACGIH 1986)

International Agency for Research on Cancer and National Toxicology Program

Not applicable

# 12 - Ecological information

These products are not reported to have any ecotoxicity effects.

c - Bioaccumulative potential

No information for the product.

d - Mobility in soil

No information for the product.

e - Other adverse effects (such as hazardous to the ozone layer

No adverse effects of this material on the environment are anticipated.

Powder-like material Not applicable Not applicable Not applicable

2750°F to 3660°F (refer to specific product data sheets) Not applicable

Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not soluble in water 0.8 - 3.1

Not applicable Not applicable Not applicable Not applicable

# 13 - Disposal Considerations

# Waste Management and Disposal

To prevent waste materials from becoming airborne during waste storage, transportation and disposal, a covered container or plastic bagging is recommended. Comply with federal, state and local regulations.

#### Additional information

# 14 - Transport information

#### a - UN number.

Hazard Class: Not Regulated United Nations (UN) Number: Not Applicable Labels: Not Applicable North America (NA) Number: Not Applicable Placards: Not Applicable Bill of Lading: Product Name

#### b - UN proper shipping name

Not applicable.

#### c - Transport hazard class(es)

Not applicable.

#### d - Packing group, if applicable

Not applicable.

## e - Environmental hazards (e.g., Marine pollutant (Yes/No))

#### f - Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

#### g - Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Not applicable

#### International

INTERNATIONAL

Canadian TDG Hazard Class & PIN: Not regulated

Not classified as dangerous goods under ADR (road), RID (train), IATA (air) or IMDG (ship).

#### 15 - Regulatory information

#### 15.1 - United States Regulations

# UNITED STATES REGULATIONS

SARA Title III: This product does not contain any substances reportable under Sections 302, 304, 313 (40 CFR 372). Sections 311 and 312 apply.

OSHA: Comply with Hazard Communication Standards 29 CFR 1910.1200 and 29 CFR 1926.59 and Respiratory Protection Standards 29 CFR 1910.134 and 29 CFR 1926.103.

TSCA: All substances contained in this product are listed, if required, in the TSCA Chemical Inventory

# 15.2 - International Regulations

# INTERNATIONAL REGULATIONS Canadian WHMIS: Not applicable.

Canadian EPA:All substances in this product are listed, as required, on the Domestic Substance List

## 16 - Other Information

## initial statement

**Product Stewardship Program** 

HMIS HAZARD RATING

**TECHNICAL DATA SHEETS** 

Left Blank Intentionally (pending datasheet number)

## **Revision Summary**

Revision date updated.

# MSDS prepared by

SDS Prepared By: MORGAN THERMAL CERAMICS ENVIRONMENTAL, HEALTH & SAFETY DEPARTMENT

## Disclaimer

The information presented herein is presented in good faith and believed to be accurate as of the effective date of this Safety Data Sheet. Employers may use this SDS to supplement other information gathered by them in their efforts to assure the health and safety of their employees and the proper use of the product. This summary of the relevant data reflects professional judgment; employers should note that information perceived to be less relevant has not been included in this SDS. Therefore, given the summary nature of this document, Morgan Thermal Ceramics does not extend any warranty (expressed or implied), assume any responsibility, or make any representation regarding the completeness of this information or its suitability for the purposes envisioned by the user